# Journal of MOLECULAR BIOLOGY

**Editors in Chief**
**J. C. KENDREW S. BRENNER**

**Editors**

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

**Associate Editors**

C. R. Cantor
V. Luzzati
J. H. Miller
M. F. Moody

Volume 182

5 March to 20 April 1985

ACADEMIC PRESS
*(Harcourt Brace Jovanovich, Publishers)*
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

H
301
.J73

Copyright © 1985, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

# Contents of Volume 182

## Number 1, 5 March 1985


**Bodary, S., Grossi, G., Hagenbüchle, O. and Wellauer, P. K.,** Members of the *Amy-2* Alpha-amylase Gene Family of Mouse Strain CE/J Contain Duplicated 5′ Termini . 1

**Lewis, S. A., Gilmartin, M. E., Hall, J. L. and Cowan, N. J.,** Three Expressed Sequences Within the Human β-Tubulin Multigene Family Each Define a Distinct Isotype . . 11

**Savatier, P., Trabuchet, G., Faure, C., Chebloune, Y., Gouy, M., Verdier, G. and Nigon, V. M.,** Evolution of the Primate β-Globin Gene Region. High Rate of Variation in CpG Dinucleotides and in Short Repeated Sequences between Man and Chimpanzee . . . . . 21

**Mossie, K. G., Young, M. W. and Varmus, H. E.,** Extrachromosomal DNA Forms of *copia*-like Transposable Elements, F Elements and Middle Repetitive DNA Sequences in *Drosophila melanogaster*. Variation in Cultured Cells and Embryos . . . . . 31

**Miller, J. H.,** Mutagenic Specificity of Ultraviolet Light . . . . . 45

**Appendix: Miller, J. H., Albertini, A., Hofer, M. and Combépine, C.,** Construction of Plasmids Carrying *lacI* Mutations . . . . . 65

**Isberg, R. R. and Syvanen, M.,** Tn*5* Transposes Independently of Cointegrate Resolution. Evidence for an Alternate Model for Transposition . . . . . 69

**Baum, J. A. and Giles, N. H.,** Genetic Control of Chromatin Structure 5′ to the *qa-x* and *qa-2* Genes of *Neurospora* . . . . . 79

**Ebright, R. H., Le Grice, S. F. J., Miller, J. P. and Krakow, J. S.,** Analogs of Cyclic AMP that Elicit the Biochemically Defined Conformational Change in Catabolite Gene Activator Protein (CAP) but do not Stimulate Binding to DNA . . . . . 91

**Cohen, R. B. and Sheffery, M.,** Nucleosome Disruption Precedes Transcription and is Largely Limited to the Transcribed Domain of Globin Genes in Murine Erythroleukemia Cells . . . . . 109

**Gulik, A., Luzzati, V., De Rosa, M. and Gambacorta, A.,** Structure and Polymorphism of Bipolar Isopranyl Ether Lipids from Archaebacteria . . . . . 131

**Appendix 1.** The Structure of the Phase P of Glycerol Dialkyl Nonitol Tetraether . 146

**Appendix 2.** The Structure of the Cubic Phases . . . . . 146

**Chothia, C. and Lesk, A. M.,** Helix Movements and the Reconstruction of the Haem Pocket During the Evolution of the Cytochrome *c* Family . . . . . 151

**Pinset-Härström, I.,** MgATP Specifically Controls *in Vitro* Self-assembly of Vertebrate Skeletal Myosin in the Physiological pH Range . . . . . 159

**Letters to the Editor**

**Geisler, N., Kaufmann, E. and Weber, K.,** Antiparallel Orientation of the Two Double-stranded Coiled-coils in the Tetrameric Protofilament Unit of Intermediate Filaments . . . . . 173

**Kaptein, R., Zuiderweg, E. R. P., Scheek, R. M., Boelens, R. and van Gunsteren, W. F.,** A Protein Structure from Nuclear Magnetic Resonance Data. *lac* Repressor Headpiece . . . . . 179


## Number 2, 20 March 1985


**Dasmahapatra, B., Dasgupta, R., Ghosh, A. and Kaesberg, P.,** Structure of the Black Beetle Virus Genome and its Functional Implications . . . . . 183

**Blond, S. and Goldberg, M. E.,** Kinetics and Importance of the Dimerization Step in the Folding Pathway of the $\beta_2$ Subunit of *Escherichia coli* Tryptophan Synthase . . . 597

**Letters to the Editor**

**Ascenzi, P., Brunori, M. and Giacometti, G. M.,** Thermodynamics of the Reaction of Ferric Myoglobin from *Aplysia limacina* with Azide and Fluoride. Dependence of Enthalpy Changes on pH . . . . . 607

**Hays, J. B. and Korba, B. E.,** Apparent Alteration in Properties of *arl* Mutants of *Escherichia coli* . . . . . 611

**Rogers, N. K., Moore, G. R. and Sternberg, M. J. E.,** Electrostatic Interactions in Globular Proteins: Calculation of the pH Dependence of the Redox Potential of Cytochrome $c_{551}$ . . . . . 613

**Sowadski, J. M., Xuong, N.h., Anderson, D. and Taylor, S. S.,** Crystallization Studies of cAMP-dependent Protein Kinase. Crystals of Catalytic Subunit Diffract to 3·5 Å Resolution . . . . . 617

# Index to Volume 182


Actin binding, light chain dependent effects on the S-1/S-2 swivel in myosin, 271
Actinidin and papain structures, amino acid sequence information for cathepsins B and H and stem bromelain; comparative studies of thiol proteases, 317
Acto-subfragment-1 ATPase co-operative response to increasing calcium concentrations, and the removal of tropomyosin overlap, 265
Acyl carrier protein from *Escherichia coli*, preliminary X-ray diffraction studies, 467
Adenylate kinase, assignment of the aromatic spin systems in the $^1$H n.m.r. spectrum, 341
Ahola, H. (see also Stenlund, A.), 541
Albertini, A. (see also Miller, J. H.), 65
Alpha-amylase *Amy*-2 gene family of mouse strain CE/J contains duplicated 5′ termini, 1
Alpha-amylase loci, Amy-1$^a$ and Amy-2$^a$, mouse, are closely linked, 359
Alphoid centromeric repeat family from the human Y chromosome, isolation and characterization, 477
Amy-1$^a$ and Amy-2$^a$, mouse alpha-amylase loci, are closely linked, 359
*Amy*-2 alpha-amylase gene family of mouse strain CE/J contain duplicated 5′ termini, 1
Anderson, D. (see also Sowadski, J. M.), 617
Antiparallel orientation of the two double-stranded coiled-coils in the tetrameric protofilament unit of intermediate filaments, 173
*Aplysia limacina* ferric myoglobin, thermodynamics of the reaction with azide and fluoride; dependence of enthalpy changes on pH, 607
Araki, H., Jearnpipatkul, A., Tatsumi, H., Sakurai, T., Ushio, K., Muta, T. & Oshima, Y., Molecular and functional organization of yeast plasmid pSR1, 191
Archaebacteria, structure and polymorphism of bipolar isopranyl ether lipids, 131
*arl* mutants of *Escherichia coli*, apparent alteration in properties, 611
Aromatic spin systems, assignment in the $^1$H n.m.r. spectrum of adenylate kinase, 341
Arthrin: a new actin-like protein in insect flight muscle, 443
Ascenzi, P., Brunori, M. & Giacometti, G. M., Thermodynamics of the reaction of ferric myoglobin from *Aplysia limacina* with azide and fluoride. Dependence of enthalpy changes on pH, 607
Autoregulation by large T antigen, and SV40 early promoter mutations, 229
Ayme, A., Southgate, R. & Tissières, A., Nucleotide sequences responsible for the thermal inducibility of the *Drosophila* small heat-shock protein genes in monkey COS cells, 469
Azide and fluoride, thermodynamics of the reaction with ferric myoglobin from *Aplysia limacina*; dependence of enthalpy changes on pH, 607

Bacteriophage fd coat protein, residues 40 to 45; protein structure by solid state n.m.r., 367
Bacteriophage P4 DNA replication. Location of the P4 origin, 519
Bacteriophage P4 DNA replication *in vitro*. Partial purification of the P4 α gene product, 509
Bacteriophage T4 pre-replicative transcription, new control elements, 249
Bacteriophage T4, three-dimensional structure of unstained, frozen–hydrated extended tails, 431
Bacteriophage T7, inhibition of the type I restriction-modification enzymes *Eco*B and *Eco*K by the gene *0·3* protein, 567
Baker, E. N. (see also Kamphuis, I. G.), 317
Bandyopadhyay, P. K., Studier, F. W., Hamilton, D. L. & Yuan, R., Inhibition of the type I restriction-modification enzymes *Eco*B and *Eco*K by the gene *0·3* protein of bacteriophage T7, 567
Barik, S., Bhattacharya, P. & Das, A., Autogenous regulation of transcription termination factor Rho, 495
Baum, J. A. & Giles, N. H., Genetic control of chromatin structure 5′ to the *qa-x* and *qa-2* genes of *Neurospora*, 79
Bell, J. (see also Bullard, B.), 443
Berg, D. E. (see also Sasakawa, C.), 487
Bernards, A. (see also Liu, A. Y. C.), 383
$\beta_2$ subunit of *Escherichia coli* tryptophan synthase, kinetics and importance of the dimerization step in the folding pathway, 597
Bhattacharya, P. (see also Barik, S.), 495
Bickle, T. A. (see also Nagaraja, V.), 579
Black beetle virus (see also Virus), 183
Blond, S. & Goldberg, M. E., Kinetics and importance of the dimerization step in the folding pathway of the $\beta_2$ subunit of *Escherichia coli* tryptophan synthase, 597
Bodary, S., Grossi, G., Hagenbüchle, O. & Wellauer, P. K., Members of the *Amy*-2 alpha-amylase gene family of mouse strain CE/J contain duplicated 5′ termini, 1
Boelens, R. (see also Kaptein, R.), 179
Borst, P. (see also Liu, A. Y. C.), 383
Bovine papilloma virus type I, mRNAs from the transforming region, 541
Brunori, M. (see also Ascenzi, P.), 607
Buckle, V. J. (see also Wolfe, J.), 477
Bull seminal plasma proteinase inhibitor IIA, solution conformation by $^1$H n.m.r. and distance geometry, 295
Bullard, B., Bell, J., Craig, R. & Leonard, K., Arthrin: a new actin-like protein in insect flight muscle, 443
Busby, S. (see also Dreyfus, M.), 411

Calcium concentrations, increasing, and the response of the acto-subfragment-1 ATPase; and the removal of tropomyosin overlap, 265
Calendar, R. (see also Krevolin, M. D.), 509, 519
Cannistraro, V. J. & Kennell, D., The 5′ ends of *Escherichia coli lac* mRNA, 241
Carboxyl-terminal fragment, and the minimum size that can fold into a stable native-like structure; folding of thermolysin fragments, 331
Carle, G. F. (see also Sasakawa, C.), 487
Catabolite gene activator protein (CAP), biochemically defined conformational change is elicited by analogs of cAMP that do not stimulate binding to DNA, 91
Cathepsins B and H and stem bromelain, amino acid sequence information, and structures of papain and actinidin; comparative studies of thiol proteases, 317
Cheboune, Y. (see also Savatier, P.), 21
Chimpanzee and man, high rate of variation in CpG dinucleotides and in short repeated sequences; evolution of the primate β-globin gene region, 21
Chothia, C. & Lesk, A. M., Helix movements and the reconstruction of the haem pocket during the evolution of the cytochrome *c* family, 151
Chromatin structure, genetic control, and the *qa-x* and *qa-2* genes of *Neurospora*, 79
Chromosome, Y, human, isolation and characterization of an alphoid centromeric repeat family, 477
Ciaramella, M. (see also Pulitzer, J. F.), 249
Coat protein, bacteriophage fd, residues 40 to 45; protein structure by solid state n.m.r., 367
Codons, sense, are found in specific contexts, 529
Cohen, R. B. & Sheffery, M., Nucleosome disruption precedes transcription and is largely limited to the transcribed domain of globin genes in murine erythroleukemia cells, 109

Coiled-coils, double-stranded, in the tetrameric protofilament unit of intermediate filaments; antiparallel orientation, 173
Cointegrate resolution, and independent Tn*5* transposition. Evidence for an alternative model for transposition, 69
Colicin E3 and its immunity genes, 217
Collagen, tendon, stress-induced molecular rearrangement, 589
Colombo, M. (see also Pulitzer, J. F.), 249
Combépine, C. (see also Miller, J. H.), 65
Conformation in solution of proteinase inhibitor IIA from bull seminal plasma by $^1$H n.m.r. and distance geometry, 295
Conformational change, biochemically defined, in catabolite gene activator protein (CAP) is elicited by analogs of cAMP that do not stimulate binding to DNA, 91
Conformations of proteins in solution, an evaluation of the combined use of n.m.r. and distance geometry for their determination, 281
Control elements, new, of bacteriophage T4 pre-replicative transcription, 249
Co-operative response to increasing calcium concentrations of the acto-subfragment-1 ATPase, and the removal of tropomyosin overlap, 265
*copia*-like transposable elements, extrachromosomal DNA forms in *Drosophila melanogaster*; variation in cultured cells and embryos, 31
COS monkey cells, nucleotide sequences responsible for the thermal inducibility of the *Drosophila* small heat-shock protein genes, 469
Cowan, N. J. (see also Lewis, S. A.), 11
CpG dinucleotides show high rate of variation between man and chimpanzee; evolution of the primate $\beta$-globin gene region, 21
Craig, I. W. (see also Wolfe, J.), 477
Craig, R. (see also Bullard, B.), 443
Cross, T. A. & Opella, S. J., Protein structure by solid state nuclear magnetic resonance. Residues 40 to 45 of bacteriophage fd coat protein, 367
Crystal structure of muconate lactonizing enzyme at 6·5 Å resolution, 353
$\gamma$-Crystallin gene family, rat, characterization and expression in the eye lens, 419
Crystallization studies of cAMP-dependent protein kinase. Crystals of catalytic subunits diffract to 3·5 Å resolution, 617
Cyclic AMP analogs that elicit the biochemically defined conformational change in catabolite gene activator protein (CAP) but do not stimulate binding to DNA, 91
cAMP-dependent protein kinase, crystallization studies; crystals of catalytic subunit diffract to 3·5 Å resolution, 617
Cytochrome *c* family, helix movements and the reconstruction of the haem pocket during evolution, 151
Cytochrome $c_{551}$, calculation of the pH dependence of the redox potential; electrostatic interactions in globular proteins, 613

Dahlberg, A. E. (see also Stark, M. J. R.), 205
Dalzoppo, D., Vita, C. & Fontana, A., Folding of thermolysin fragments. Identification of the minimum size of a carboxyl-terminal fragment that can fold into a stable native-like structure, 331
Darling, S. M. (see also Wolfe, J.), 477
Das, A. (see also Barik, S.), 495
Das, A. (see also Fisher, R. F.), 397
Das, G. C. & Salzman, N. P., Simian virus 40 early promoter mutations that affect promoter function and autoregulation by large T antigen, 229
Dasgupta, R. (see also Dasmahapatra, B.), 183
Dasmahapatra, B., Dasgupta, R., Ghosh, A. & Kaesberg, P., Structure of the black beetle virus genome and its functional implications, 183
De Rosa, M. (see also Gulik, A.), 131
den Dunnen, J. T. (see also Moormann, R. J. M.), 419
DNA binding is not stimulated by analogs of cAMP that elicit the biochemically defined conformational change in catabolite gene activator protein (CAP), 91
DNA forms, extrachromosomal, of *copia*-like transposable elements, F elements and middle repetitive DNA sequences in *Drosophila melanogaster*. Variation in cultured cells and embryos, 31
DNA, P4, replication *in vitro*. Partial purification of the P4 $\alpha$ gene product, 509
DNA recognition sequences, and purification; two type I restriction enzymes from *Salmonella* species, 579
DNA replication, P4; location of the P4 origin, 519
Dimerization step in the folding pathway of the $\beta_2$ subunit of *Escherichia coli* tryptophan synthase, kinetics and importance, 597
Distance geometry and n.m.r., an evaluation of their combined use for the determination of protein conformations in solution, 281
Distance geometry and n.m.r., and the solution conformation of proteinase inhibitor IIA from bull seminal plasma, 295
Drenth, J. (see also Kamphuis, I. G.), 317
Dreyfus, M., Kotlarz, D. & Busby, S., Point mutations that affect translation initiation in the *Escherichia coli gal*E gene, 411
*Drosophila melanogaster*, extrachromosomal DNA forms of *copia*-like transposable elements, F elements and middle repetitive DNA sequences; variation in culture cells and embryos, 31
*Drosophila* small heat-shock protein genes in monkey COS cells, nucleotide sequences responsible for the thermal inducibility, 469

Ebright, R. H., Le Grice, S. F. J., Miller, J. P. & Krakow, J. S., Analogs of cyclic AMP that elicit the biochemically defined conformational change in catabolite gene activator protein (CAP) but do not stimulate binding to DNA, 91
*Eco*B and *Eco*K restriction-modification enzymes, inhibition by the gene *0·3* protein of bacteriophage T7, 567
Electron density calculations as an extension of protein structure refinement. *Streptomyces griseus* protease A at 1·5 Å resolution, 555
Electrostatic interactions in globular proteins: calculation of the pH dependence of the redox potential of cytochrome $c_{551}$, 613
Enthalpy changes, dependence of pH; thermodynamics of the reaction of ferric myoglobin from *Aplysia limacina* with azide and fluoride, 607
Erickson, R. P. (see also Wolfe, J.), 477
Ernst, S. R. (see also Parks, E. H.), 455
Erythroleukemia cells, murine, nucleosome disruption precedes transcription and is largely limited to the transcribed domain of globin genes, 109
*Escherichia coli*, apparent alteration in properties of *arl* mutants; 611
*Escherichia coli gal*E gene, point mutations that affect translation initiation, 411
*Escherichia coli lac* mRNA, the 5′ ends, 241
*Escherichia coli*, preliminiary X-ray diffraction studies of acyl carrier protein, 467
*Escherichia coli* rRNA operon, a mutation that blocks the production of precursor 23 S rRNA by RNase III *in vivo* and *in vitro*, 205
*Escherichia coli* tryptophan synthase, kinetics and importance of the dimerization step in the folding pathway of the $\beta_2$ subunit, 597
Evans, R. (see also Walsh, T. P.), 265
Evolution of the cytochrome *c* family, helix movements and the reconstruction of the haem pocket, 151
Evolution of the primate $\beta$-globin gene region. High rate of variation in CpG dinucleotides and in short repeated sequences between man and chimpanzee, 21
Eye lens, and expression of the rat $\gamma$-crystallin gene family, 419

F elements, extrachromosomal DNA forms in *Drosophila melanogaster*; variation in cultured cells and embryos, 31
Faure, C. (see also Savatier, P.), 21
fd (see also Bacteriophage), 367
Ferric myoglobin from *Aplysia limacina*, thermodynamics of the reaction with azide and fluoride; dependence of enthalpy changes on pH, 607
Filaments, intermediate, antiparallel orientation of the two double-stranded coiled-coils in the tetrameric protofilament unit, 173
Filaments, thick, short, from *Limulus* muscle, structure, 347

Fisher, R. F., Das, A., Kolter, R., Winkler, M. E. & Yanosky, C., Analysis of the requirements for transcription pausing in the tryptophan operon, 397
5′ ends of *Escherichia coli lac* mRNA, 241
5′ termini, duplicated, are contained in members of the *Amy*-2 alpha-amylase gene family of mouse strain CE/J, 1
Fluoride and azide, thermodynamics of the reaction with ferric myoglobin from *Aplysia limacina*; dependence of enthalpy changes on pH, 607
Folding pathway of the $\beta_2$ subunit of *Escherichia coli* tryptophan synthase, kinetics and importance of the dimerization step, 597
Folding of thermolysin fragments. Identification of the minimum size of a carboxyl-terminal fragment that can fold into a stable native-like structure, 331
Folkhard, W. (see also Mosler, E.), 589
Folley, L. S. (see also Yarus, M.), 529
Fontana, A. (see also Dalzoppo, D.), 331

*gal*E gene, *Escherichia coli*, point mutations that affect translation initiation, 411
Gambacorta, A. (see also Gulik, A.), 131
Geisler, N., Kaufmann, E. & Weber, K., Antiparallel orientation of the two double-stranded coiled-coils in the tetrameric protofilament unit of intermediate filaments, 173
Gene, *Escherichia coli gal*E, and point mutations that affect translation initiation, 411
Gene family, alpha-amylase, *Amy*-2, of mouse strain CE/J, contains duplicated 5′ termini, 1
Gene family, $\beta$-tubulin, human, three expressed sequences each define a distinct isotype, 11
Gene family, $\gamma$-crystallin, rat, characterization and expression in the eye lens, 419
Gene product, P4 $\alpha$, partial purification; the replication of bacteriophage P4 DNA *in vitro*, 509
Gene *0·3* protein of bacteriophage T7, inhibition of the type I restriction-modification enzymes *Eco*B and *Eco*K, 567
Gene region, $\beta$-globin, evolution in primates. High rate of variation in CpG dinucleotides and in short repeated sequences between man and chimpanzee, 21
Genes, globin, nucleosome disruption precedes transcription and is largely limited to the transcribed domain, in murine erythroleukemia cells, 109
Genes, immunity, of colicin E3, 217
Genes, small heat-shock protein, *Drosophila*, in monkey COS cells, nucleotide sequences responsible for the thermal inducibility, 469
Genes, trypanosome variant surface glycoprotein, expressed early in infection, 383
Genetic control of chromatin structure 5′ to the *qa-x* and *qa-2* genes of *Neurospora*, 79
Genome structure of black beetle virus, and its functional implications, 183
Ghosh, A. (see also Dasmahapatra, B.), 183
Giacometti, G. M. (see also Ascenzi, P.), 607
Giles, N. H. (see also Baum, J. A.), 79
Gilmartin, M. E. (see also Lewis, S. A.), 11
Globin genes, nucleosome disruption precedes transcription and is largely limited to the transcribed domain, in murine erythroleukemia cells, 109
$\beta$-Globin gene region evolution in primates. High rate of variation in CpG dinucleotides and in short repeated sequences between man and chimpanzee, 21
Globular proteins, electrostatic interactions; calculation of the pH dependence of the redox potential of cytochrome $c_{551}$, 613
Glycerol dialkyl nonitol tetraether, structure of the phase P, 146
Goldberg, M. E. (see also Blond, S.), 597
Goldman, A., Ollis, D. L., Ngai, K.-L. & Steitz, T. A., Crystal structure of muconate lactonising enzyme at 6·5 Å resolution, 353
Goodfellow, P. N. (see also Wolfe, J.), 477
Gourse, R. L. (see also Stark, M. J. R.), 205
Gouy, M. (see also Savatier, P.), 21
Gross, K.-H. (see also Rösch, P.), 341
Grossi, G. (see also Bodary, S.), 1
Gulik, A., Luzzati, V., De Rosa, M. & Gambacorta, A., Structure and polymorphism of bipolar isopranyl ether lipids from archaebacteria, 131

Hackert, M. L. (see also Parks, E. H.), 455
Haem pocket reconstruction, and helix movements, during the evolution of the cytochrome *c* family, 151
Hagenbüchle, O. (see also Bodary, S.), 1
Hall, J. L. (see also Lewis, S. A.), 11
Hamilton, D. L. (see also Bandyopadhyay, P. K.), 567
Hamlin, R. (see also Parks, E. H.), 455
Havel, T. F. & Wüthrich, K., An evaluation of the combined use of nuclear magnetic resonance and distance geometry for the determination of protein conformations in solution, 281
Havel, T. F. (see also Williamson, T. F.), 295
Hays, J. B. & Korba, B. E., Apparent alteration in properties of *arl* mutants of *Escherichia coli*, 611
Headpiece, *lac* repressor, structure from n.m.r. data, 179
Heat-shock protein genes, small, *Drosophila*, in monkey COS cells, nucleotide sequences responsible for the thermal inducibility, 469
Helix movements and the reconstruction of the haem pocket during the evolution of the cytochrome *c* family, 151
Heuyerjans, J. (see also Moormann, R. J. M.), 419
Histidine decarboxylase from *Lactobacillus 30a*, structure at 3·0 Å resolution, 455
Hofer, M. (see also Miller, J. H.), 65
Human $\beta$-tubulin multigene family, three expressed sequences each define a distinct isotype, 11
Human Y chromosome, isolation and characterization of an alphoid centromeric repeat family, 477

Immunity genes of colicin E3, 217
Inhibition of the type I restriction-modification enzymes *Eco*B and *Eco*K by the gene *0·3* protein of bacteriophage T7, 567
Inman, R. B. (see also Krevolin, M. D.), 519
Insect flight muscle, a new actin-like protein, arthrin, 443
IS50 transposition, essential sequences; the first base-pair, 487
Isberg, R. R. & Syvanen, M., Tn*5* transposes independently of cointegrate resolution. Evidence for an alternate model for transposition, 69
Isopranyl ether lipids, bipolar, from archaebacteria; structure and polymorphism, 131

James, M. N. G. (see also Moult, J.), 555
Jearnpipatkul, A. (see also Araki, H.), 191
Jemiolo, D. K. (see also Stark, M. J. R.), 205
Jongbloed, R. J. E. (see also Moormann, R. J. M.), 419

Kaesberg, P. (see also Dasmahapatra, B.), 183
Kahn, M. (see also Krevolin, M. D.), 519
Kamphuis, I. G., Drenth, J. & Baker, E. N., Thiol proteases. Comparative studies based on the high-resolution structures of papain and actinidin, and on amino acid sequence information for cathepsins B and H, and stem bromelain, 317
Kaptein, R., Zuiderweg, E. R. P., Scheek, R. M., Boelens, R. & van Gunsteren, W. F., A protein structure from nuclear magnetic resonance data. *lac* repressor headpiece, 179
Kaufmann, E. (see also Geisler, N.), 173
Kennell, D. (see also Cannistraro, V. J.), 241
Kensler, R. W. (see also Levine, R. J. C.), 347
Kinetics and importance of the dimerization step in the folding pathway of the $\beta_2$ subunit of *Escherichia coli* tryptophan synthase, 597
Knörzer, E. (see also Mosler, E.), 589
Koch, M. H. J. (see also Mosler, E.), 589
Kolter, R. (see also Fisher, R. F.), 397
Korba, B. E. (see also Hays, J. B.), 611
Kotlarz, D. (see also Dreyfus, M.), 411
Krakow, J. S. (see also Ebright, R. H.), 91
Krevolin, M. D. & Calendar, R., The replication of bacteriophage P4 DNA *in vitro*. Partial purification of the P4 $\alpha$ gene product, 509
Krevolin, M. D., Inman, R. B., Roof, D., Kahn, M. & Calendar, R., Bacteriophage P4 DNA replication. Location of the P4 origin, 519

*lac* repressor headpiece, structure from n.m.r. data, 179
*lacI* mutations in constructed plasmids, 65
*Lactobacillus 30a* histidine decarboxylase, structure determination at 3·0 Å resolution, 455
Le Grice, S. F. J. (see also Ebright, R. H.), 91
Lens, eye, and expression of the rat γ-crystallin gene family, 419
Leonard, K. (see also Bullard, B.), 443
Leonard, K. (see also Lepault, J.), 431
Lepault, J. & Leonard, K., Three-dimensional structure of unstained frozen–hydrated extended tails of bacteriophage T4, 431
Lesk, A. M. (see also Chothia, C.), 151
Levine, R. J. C. & Kensler, R. W., Structure of short thick filaments from *Limulus* muscle, 347
Lewis, S. A., Gilmartin, M. E., Hall, J. L. & Cowan, N. J., Three expressed sequences within the human β-tubulin multigene family each define a distinct isotype, 11
Light chain dependent effects of actin binding on the S-1/S-2 swivel in myosin, 271
*Limulus* muscle, structure of short thick filaments, 347
Lipids, bipolar isopranyl ether, from archaebacteria; structure and polymorphism, 131
Liu, A. Y. C., Michels, P. A. M., Bernards, A. & Borst, P., Trypanosome variant surface glycoprotein genes expressed early in infection, 383
Lubsen, N. H. (see also Moormann, R. J. M.), 419
Luzzati, V. (see also Gulik, A.), 131

McRee, D. E., Richardson, J. S. & Richardson, D. C., Preliminary X-ray diffraction studies of acyl carrier protein from *Escherichia coli*, 467
MgATP specifically controls *in vitro* self-assembly of vertebrate skeletal myosin in the physiological pH range, 159
Man and chimpanzee, high rate of variation in CpG dinucleotides and in short repeated sequences; evolution of the primate β-globin gene region, 21
Masaki, H. & Ohta, T., Colicin E3 and its immunity genes, 217
Messenger RNA, *lac*, *Escherichia coli*, the 5′ ends, 241
Messenger RNAs from the transforming region of bovine papilloma virus type I, 541
Michels, P. A. M. (see also Liu, A. Y. C.), 383
Miller, L. & Reisler, E., Light chain dependent effects of actin binding on the S-1/S-2 swivel in myosin, 271
Miller, J. H., Mutagenic specificity of ultraviolet light, 45
Miller, J. H., Albertini, A., Hofer, M. & Combépine, C., Construction of plasmids carrying *lacI* mutations (*Appendix* to Miller, J. H., 45), 65
Miller, J. P. (see also Ebright, R. H.), 91
Molecular and functional organization of yeast plasmid pSR1, 191
Molecular rearrangement, stress-induced, in tendon collagen, 589
Monkey COS cells, nucleotide sequences responsible for the thermal inducibility of the *Drosophila* small heat-shock protein genes, 469
Moore, G. R. (see also Rogers, N. K.), 613
Moormann, R. J. M., den Dunnen, J. T., Heuyerjans, J., Jongbloed, R. J. E., van Leen, R. W., Lubsen, N. H. & Schoenmakers, J. G. G., Characterization of the rat γ-crystallin gene family and its expression in the eye lens, 419
Moreno-Lopez, J. (see also Stenlund, A.), 541
Mosler, E., Folkhard, W., Knörzer, E., Nemetschek-Gansler, H., Nemetschek, Th. & Koch, M. H. J., Stress-induced molecular rearrangements in tendon collagen, 589
Mossie, K. G., Young, M. W. & Varmus, H. E., Extrachromosomal DNA forms of *copia*-like transposable elements, F elements and middle repetititive DNA sequences in *Drosophila melanogaster*. Variation in cultured cells and embryos, 31
Moult, J., Sussman, F. & James, M. N. G., Electron density calculations as an extension of protein structure refinement. *Streptomyces griseus* protease A at 1·5 Å resolution, 555
Mouse alpha-amylase loci, Amy-1$^a$ and Amy-2$^a$, are closely linked, 359
Mouse strain CE/J, members of the *Amy*-2 alpha-amylase gene family contain duplicated 5′ termini, 1
Muconate lactonizing enzyme, crystal structure at 6·5 Å resolution, 353
Murine erythroleukemia cells, nucleosome disruption precedes transcription and is largely limited to the transcribed domain of globin genes, 109
Muscle, flight, insect, a new actin-like protein, arthrin, 443
Muscle, *Limulus*, structure of short thick filaments, 347
Muta, T. (see also Araki, H.), 191
Mutagenic specificity of ultraviolet light, 45
Mutants, *arl*, of *Escherichia coli*, apparent alteration in properties, 611
Mutation in an *Escherichia coli* ribosomal RNA operon that blocks the production of precursor 23 S ribosomal RNA by RNase II *in vivo* and *in vitro*, 205
Mutations, *lacI*, in constructed plasmids, 65
Mutations, point, that affect translation initiation in the *Escherichia coli galE* gene, 411
Mutations, SV40 early promoter, that affect promoter function and autoregulation by large T antigen, 229
Myosin, light chain dependent effects of actin binding on the S-1/S-2 swivel, 271
Myosin, skeletal, vertebrate, MgATP specifically controls *in vitro* self-assembly in the physiological pH range, 159

Nagaraja, V., Shepherd, J. C. W., Prifl, T. & Bickle, T. A., Two type I restriction enzymes from *Salmonella* species. Purification and DNA recognition sequences, 579
Nemetschek, Th. (see also Mosler, E.), 589
Nemetschek-Gansler, H. (see also Mosler, E.), 589
*Neurospora*, genetic control of chromatin structure 5′ to the *qa-x* and *qa-2* genes, 79
Ngai, K.-L. (see also Goldman, A.), 353
Nigion, V. M., (see also Savatier, P.), 21
Nuclear magnetic resonance data and the determination of protein structure; *lac* repressor headpiece, 179
Nuclear magnetic resonance and distance geometry, an evaluation of their combined use for the determination of protein conformations in solution, 281
Nuclear magnetic resonance and distance geometry, and the solution conformation of proteinase inhibitor IIA from bull seminal plasma, 295
Nuclear magnetic resonance, solid state, and protein structure. Residues 40 to 45 of bacteriophage fd coat protein, 367
Nuclear magnetic resonance spectrum, $^1$H, of adenylate kinase, assignment of aromatic spin systems, 341
Nucleosome disruption precedes transcription and is largely limited to the transcribed domain of globin genes in murine erythroleukemia cells, 109
Nucleotide sequences responsible for the thermal inducibility of the *Drosophila* small heat-shock protein genes in monkey COS cells, 469

Ohta, T. (see also Masaki, H.), 217
Ollis, D. L. (see also Goldman, A.), 353
Opella, S. J. (see also Cross, T. A.), 367
Organization, molecular and functional, of yeast plasmid pSR1, 191
Oshima, Y. (see also Araki, H.), 191

P4 (see also Bacteriophage), 509, 519
Papain and actidin structures, amino acid sequence information for cathepsins B and H and stem bromelain; comparative studies of thiol proteases, 317
Papilloma virus type I (see also Virus), 541
Parks, E. H., Ernst, S. R., Hamlin, R., Xuong, N. H. & Hackert, M. L., Structure determination of histidine decarboxylase from *Lactobacillus 30a* at 3·0 Å resolution, 455
Pausing, transcription, in the tryptophan operon, analysis of requirements, 397
Pettersson, U. (see also Stenlund, A.), 541
pH dependence calculation for the redox potential of cytochrome $c_{551}$; electrostatic interactions in globular proteins, 613
pH dependence of enthalpy changes; thermodynamics of the reaction of ferric myoglobin from *Aplysia limacina* with azide and fluoride, 607
Phadnis, S. H. (see also Sasakawa, C.), 487

Pinset-Härström, I., MgATP specifically controls *in vitro* self-assembly of vertebrate skeletal myosin in the physiological pH range, 159
Pittet, A.-C. & Schibler, U., Mouse alpha-amylase loci, Amy-1$^a$ and Amy-2$^a$, are closely linked, 359
Plasmid pSR1, yeast, molecular and functional organization, 191
Plasmids carrying *lacI* mutations, construction, 65
Polymorphism and structure of bipolar isopranyl ether lipids from archaebacteria, 131
Precursor 23 S ribosomal RNA production by RNase III is blocked *in vivo* and *in vitro* by a mutation in an *Escherichia coli* ribosomal RNA operon, 205
Prifl, T. (see also Nagaraja, V.), 579
Primate $\beta$-globin gene region evolution. High rate of variation in CpG dinucleotides and in short repeated sequences between man and chimpanzee, 21
Promoter, early, SV40, mutations that affect promoter function and autoregulation by large T antigen, 229
Protease A, *Streptomyces griseus*, at 1·5 Å resolution; electron density calculations as an extension of protein structure refinement, 555
Protein, actin-like, new, arthrin, in insect flight muscle, 443
Protein, acyl carrier, from *Escherichia coli*, preliminary X-ray diffraction studies, 467
Protein conformations in solution, an evaluation of the combined use of n.m.r. and distance geometry for their determination, 281
Protein kinase, cAMP-dependent, crystallization studies; crystals of catalytic subunit diffract to 3·5 Å resolution, 617
Protein structure from n.m.r. data; *lac* repressor headpiece, 179
Protein structure refinement, and electron density calculations; *Streptomyces griseus* protease A at 1·5 Å resolution, 555
Protein structure by solid state n.m.r. Residues 40 to 45 of bacteriophage fd coat protein, 367
Proteinase inhibitor IIA from bull seminal plasma, solution conformation by $^1$H n.m.r. and distance geometry, 295
Protofilament unit, tetrameric, of intermediate filaments, antiparallel orientation of the two double-stranded coiled-coils, 173
pSR1 plasmid, yeast, molecular and functional organization, 191
Pulitzer, J. F., Colombo, M. & Ciaramella, M., New control elements of bacteriophage T4 pre-replicative transcription, 249

*qa-x* and *qa-2* genes of *Neurospora*, and genetic control of chromatin structure, 79

Rat $\gamma$-crystallin gene family characterization, and expression in the eye lens, 419
Redox potential of cytochrome $c_{551}$, calculation of the pH dependence; electrostatic interactions in globular proteins, 613
Regulation, autogenous, of transcription termination factor Rho, 495
Reisler, E. (see also Miller, L.), 271
Replication of bacteriophage P4 DNA *in vitro*. Partial purification of the P4 $\alpha$ gene product, 509
Replication, DNA, P4; location of the P4 origin, 519
Restriction enzymes, type I, two, from *Salmonella* species. Purification and DNA recognition sequences, 579
Restriction-modification enzymes *Eco*B and *Eco*K, inhibition by the gene *0·3* protein of bacteriophage T7, 567
Rho transcription termination factor, autogenous regulation, 495
RNA ribosomal operon, *Escherichia coli*, a mutation that blocks the production of precursor 23 S rRNA by RNase III *in vitro* and *in vitro*, 205
Ribosomal RNA operon of *Escherichia coli*, a mutation that blocks the production of precursor 23 S rRNA by RNase III *in vivo* and *in vitro*, 205
Richardson, D. C. (see also McRee, D. E.), 467
Richardson, J. S. (see also McRee, D. E.), 467
Rigby, P. W. J. (see also Wolfe, J.), 477
Rogers, N. K., Moore, G. R. & Sternberg, M. J. E., Electrostatic interactions in globular proteins: calculation of the pH dependence of the redox potential of cytochrome $c_{551}$, 613
Roof, D. (see also Krevolin, M. D.), 519
Rösch, P. & Gross, K.-H., Assignment of aromatic spin systems in the $^1$H nuclear magnetic resonance spectrum of adenylate kinase, 341

S-1/S-2 swivel in myosin, light chain dependent effects of actin binding, 271
Sakurai, T. (see also Araki, H.), 191
*Salmonella* species, two type I restriction enzymes; purification and DNA recognition sequences, 579
Salzman, N. P. (see also Das, G. C.), 229
Sasakawa, C., Phadnis, S. H., Carle, G. F. & Berg, D. E., Sequences essential for IS50 transposition. The first base-pair, 487
Savatier, P., Trabuchet, G., Faure, C., Chebloune, Y., Gouy, M., Verdier, G. & Nigon, V. M., Evolution of the primate $\beta$-globin gene region. High rate of variation in CpG dinucleotides and in short repeated sequences between man and chimpanzee, 21
Scheek, R. M. (see also Kaptein, R.), 179
Schibler, U. (see also Pittet, A.-C.), 359
Schoenmakers, J. G. G. (see also Moormann, R. J. M.), 419
Self-assembly *in vitro* is specifically controlled by MgATP for vertebrate skeletal myosin in the physiological pH range, 159
Seminal plasma, bull, proteinase inhibitor IIA, solution conformation by $^1$H n.m.r. and distance geometry, 295
Sense codons are found in specific contexts, 529
Sequence, amino acid, information for cathepsins B and H and stem bromelain, and structures of papain and actinidin; comparative studies of thiol proteases, 317
Sequences, DNA, middle repetitive, extrachromosomal DNA forms in *Drosophila melanogaster*; variation in cultured cells and embryos, 31
Sequences, DNA, recognized by two type I restriction enzymes from *Salmonella* species, 579
Sequences essential for IS50 transposition. The first base-pair, 487
Sequences, nucleotide, responsible for the thermal inducibility of the *Drosophila* small heat-shock protein genes in monkey COS cells, 469
Sequences, short repeated, high rate of variation between man and chimpanzee; evolution of the primate $\beta$-globin gene region, 21
Sequences, three, within the human $\beta$-tubulin multigene family each define a distinct isotype, 11
Sheffery, M. (see also Cohen, R. B.), 109
Shepherd, J. C. W. (see also Nagaraja, V.), 579
Simian virus 40 (see also Virus), 229
Skeletal myosin, vertebrate, MgATP specifically controls *in vitro* self-assembly in the physiological pH range, 159
Solution conformation of proteinase inhibitor IIA from bull seminal plasma by $^1$H n.m.r. and distance geometry, 295
Solution conformation of proteins, an evaluation of the combined use of n.m.r. and distance geometry, 281
Southgate, R. (see also Ayme, A.), 469
Sowadski, J. M., Xuong, N.-h., Anderson, D. & Taylor, S. S., Crystallization studies of cAMP-dependent protein kinase. Crystals of catalytic subunit diffract to 3·5 Å resolution, 617
Spin systems, aromatic, assignment in the $^1$H n.m.r. spectrum of adenylate kinase, 341
*Streptomyces griseus* protease A at 1·5 Å resolution; electron density calculations as an extension of protein structure refinement, 555
Structure of the black beetle virus genome and its functional implications, 183
Structure of chromatin, genetic control, and the *qa-x* and *qa-2* genes of *Neurospora*, 79
Structure, crystal, of muconate lactonizing enzyme at 6·5 Å resolution, 353
Structure determination of histidine decarboxylase from *Lactobacillus 30a* at 3·0 Å resolution, 455
Structure of the phase P of glycerol dialkyl nonitol tetraether, 146
Structure and polymorphism of bipolar isopranyl ether lipids from archaebacteria, 131
Structure, protein, from n.m.r. data; *lac* repressor headpiece, 179

Structure of protein by solid state n.m.r.; residues 40 to 45 of bacteriophage fd coat protein, 367
Structure refinement for proteins, and electron density calculations; *Streptomyces griseus* protease A at 1·5 Å resolution, 555
Structure of short thick filaments from *Limulus* muscle, 347
Structure, three-dimensional, of unstained, frozen–hydrated extended tails of bacteriophage T4, 431
Structures, high-resolution, of papain and actinidin, and amino acid sequence information for cathepsins B and H and stem bromelain; comparative studies of thiol proteases, 317
Stark, M. J. R., Gourse, R. L., Jemiolo, D. K. & Dahlberg, A. E., A mutation in an *Escherichia coli* ribosomal RNA operon that blocks the production of precursor 23 S ribosomal RNA by RNase III *in vivo* and *in vitro*, 205
Steitz, T. A. (see also Goldman, A.), 353
Stem bromelain and cathepsins B and H, amino acid sequence information, and structures of papain and actinidin; comparative studies of thiol proteases, 317
Stenlund, A., Zabielski, J., Ahola, H., Moreno-Lopez, J. & Pettersson, U., Messenger RNAs from the transforming region of bovine papilloma virus type I, 541
Sternberg, M. J. E. (see also Rogers, N. K.), 613
Stress-induced molecular rearrangement in tendon collagen, 589
Studier, F. W. (see also Banyopadhyay, P. K.), 567
Sussman, F. (see also Moult, J.), 555
Swivel, S-1/S-2, in myosin, light chain dependent effects of actin binding, 271
Syvanen, M. (see also Isberg, R. R.), 69

T4 (see also Bacteriophage), 249, 431
T7 (see also Bacteriophage), 567
T antigen, large, autoregulation and SV40 early promoter mutations, 229
Tails, frozen–hydrated extended, unstained, of bacteriophage T4, three-dimensional structure, 431
Tatsumi, H. (see also Araki, H.), 191
Taylor, S. S. (see also Sowadski, J. M.), 617
Tendon collagen, stress-induced molecular rearrangement, 589
Thermal inducibility of the *Drosophila* small heat-shock genes in monkey COS cells, the nucleotide sequences responsible, 469
Thermodynamics of the reaction of ferric myoglobin from *Aplysia limacina* with azide and fluoride. Dependence of enthalpy changes on pH, 607
Thermolysin fragments, folding; identification of the minimum size of a carboxyl-terminal fragment that can fold into a native-like stable structure, 331
Thiol proteases. Comparative studies based on the high-resolution structures of papain and actinidin, and on amino acid sequence information for cathepsins B and H, and stem bromelain, 317
Tissières, A. (see also Ayme, A.), 469
Tn*5* transposes independently of cointegrate resolution. Evidence for an alternative model for transposition, 69
Trabuchet, G. (see also Savatier, P.), 21
Transcription pausing in the tryptophan operon, analysis of requirements, 397
Transcription is preceded by nucleosome disruption which is largely limited to the transcribed domain of globin genes in murine erythroleukemia cells, 109
Transcription, pre-replicative, T4, new control elements, 249
Transcription termination factor Rho, autogenous regulation, 495
Transforming region mRNAs of bovine papilloma virus type I, 541
Translation initiation in the *Escherichia coli galE* gene, and affecting point mutations, 411
Transposition, IS50, essential sequences; the first base-pair, 487
Tropomyosin overlap removal, and the co-operative response to increasing calcium concentrations of the acto-subfragment-1 ATPase, 265
Trypanosome variant surface glycoprotein genes expressed early in infection, 383
Tryptophan operon, analysis of the requirements for transcription pausing, 397
Tryptophan synthase, *Escherichia coli*, kinetics and importance of the dimerization step in the folding pathway of the $\beta_2$ subunit, 597
Trueblood, C. E. (see also Walsh, T. P.), 265
$\beta$-Tubulin, human, multigene family, three expressed sequences each define a distinct isotype, 11

Ultraviolet light, mutagenic specificity, 45
Ushio, K. (see also Araki, H.), 191

van Gunsteren, W. F. (see also Kaptein, R.), 179
van Leen, R. W. (see also Moormann, R. J. M.), 419
Variant surface glycoprotein genes, trypanosome, expressed early in infection, 383
Varmus, H. E. (see also Mossie, K. G.), 31
Verdier, G. (see also Savatier, P.), 21
Vertebrate skeletal myosin, MgATP specifically controls *in vitro* self-assembly in the physiological pH range, 159
Virus, black beetle, genome structure, and its functional implications, 183
Virus, bovine papilloma type I, mRNAs from the transforming region, 541
Virus, SV40, early promoter mutations that affect promoter function and autoregulation by large T antigen, 229
Vita, C. (see also Dalzoppo, D.), 331

Walsh, T. P., Trueblood, C. E., Evans, R. & Weber, A., Removal of tropomyosin overlap and the co-operative response to increasing calcium concentrations of the acto-subfragment-1 ATPase, 265
Weber, A. (see also Walsh, T. P.), 265
Weber, K. (see also Geisler, N.), 173
Wellauer, P. K. (see also Bodary, S.), 1
Willard, H. F. (see also Wolfe, J.), 477
Williamson, M. P., Havel, T. F. & Wüthrich, K., Solution conformation of proteinase inhibitor IIA from bull seminal plasma by $^1$H nuclear magnetic resonance and distance geometry, 295
Winkler, M. E. (see also Fisher, R. F.), 397
Wolfe, J., Darling, S. M., Erickson, R. P., Craig, I. W., Buckle, V. J., Rigby, P. W. J., Willard, H. F. & Goodfellow, P. N., Isolation and characterization of an alphoid centromeric repeat family from the human Y chromosome, 477
Wüthrich, K. (see also Havel, T. F.), 281
Wüthrich, K. (see also Williamson, M. P.), 295

X-ray diffraction studies, preliminary, of acyl carrier protein from *Escherichia coli*, 467
Xuong, N. H. (see also Parks, E. H.), 455
Xuong, N. H. (see also Sowadski, J. M.), 617

Y chromosome, human, isolation and characterization of an alphoid centromeric repeat family, 477
Yanofsky, C. (see also Fisher, R. F.), 397
Yarus, M. & Folley, L. S., Sense codons are found in specific contexts, 529
Yeast plasmid pSR1, molecular and functional organization, 191
Young, M. W. (see also Mossie, K. G.), 31
Yuan, R. (see also Bandyopadhyay, P. K.), 567

Zabielski, J. (see also Stenlund, A.), 541
Zuiderweg, E. R. P. (see also Kaptein, R.), 179